

Question 1

Use the `gapminder` data set in the `gapminder` library to recreate a version of Hans Rosling's famous data visualization shown in the *A Grammar of Graphics* slides (a single plot instead of a movie; in other words, for just a single year).

- You can see at a glance which years are available by running `count(gapminder, year)` in an R chunk.
- In place of fertility rate use GDP per capita.

Constructing this plot requires several distinct steps.

1. Determine the correct geometry for the plot and make an initial `ggplot` with the two variables on the x and y axis.
2. Distinguish the continents by either shape or color. Which ever one you do not use, *set* its value to something other than the default. *Hint: use the help_file for `geom_point()` to find options you can set to!*
3. Alter the x and y axis labels so that they're more descriptive than just the variable given names in `gapminder`.
4. Add an annotation that draws attention to a particular feature of the data (of your choosing).
5. Title your plot with a claim based on your data.
6. Apply a theme of your choosing.

Use RStudio to write the code and see your visualization. Once you are happy with it, *handwrite* your code in the space below.

Question 2

Revisit one of the plots that you created for the Class Survey Lab, but incorporate at least 2 of the elements from the Communicating with Graphics section of the Grammar of Graphics tutorial to polish your plot into one that tells a more focused story. No need to copy that code here but in the space below write a list of the elements that you applied to each plot.